


ULTRASONIC SENSOR SERIES



BUY NOW



ULTRASONIC SENSOR
open type ultrasonic sensor /
waterproof ultrasonic sensor/
high frequency ultrasonic sensor
parking sensor /

product now



Model: MSO-PT1040H07R

Frequency: 40.0 ± 1.0 KHz

Dimension: 10*7mm

Measure distance: 20cm-18m



Model: MSO-PT1240H09R

Frequency: 40 ± 1.0 KHz

Dimension: 12*9mm

Measure distance: 20cm-18m




Model: MSO-AT1625H12R


Frequency: 25 ± 1.0 KHz



Dimension: 16*12mm

Measure distance: 20cm-18m

		
Model: MSO-AT1640H12R Frequency: 40.0±1.0KHz Dimension : 16*12mm Measure distance: 20cm-18m	Model: MSO-A2420H14T Frequency: 20KHz Dimension : 24*14mm Measure distance: 20cm-18m	Model: MSO-P1040H07TR Frequency: 25±1.0KHz Dimension : 16*12mm Measure distance: 30cm-18m
		
Model: MSO-P1640H12TR Frequency: 40.0±2.0KHz Dimension: 16*12mm Measure distance: 30cm-18m	Model: MSO-A2540H14TR Frequency: 40±1.0KHz Dimension : 25*14mm Measure distance: 30cm-18m	Model: HC-SR04 Frequency: 40KHz Measure distance: 2cm-8m

		
Model: MSW-A1040H08TR Frequency: 40±1.0KHz Dimension : 10*8mm Measure distance: 20cm-4m	Model: MSW-A1060H08TR Frequency: 60±1.0KHz Dimension : 10*8mm Measure distance: 20cm-4m	Model: MSW-A1240H08TR Frequency: 40±1.0KHz Dimension : 12*8mm Measure distance: 30cm-1.8m
		
Model: MSW-A1440H09TR Frequency: 40±1.0KHz Dimension: 14*9mm Measure distance: 30cm-1.8m	Model: MSW-A1440H09TR-W Frequency: 40±1.0KHz Dimension: 14*9mm Measure distance: 30cm-1.8m	Model: MSW-A1458H09TR-W Frequency: 58±1.0kHz Dimension: 15*9mm Measure distance: 30cm-1.8m

		
Model: MSW-A1640H10TR Frequency: $40\pm 1.0\text{KHz}$ Dimension : 16*10mm Measure distance: 30cm-1.8m	Model: MSW-A1640H12TR Frequency: $40\pm 1.0\text{KHz}$ Dimension : 16*12mm Measure distance: 30cm-1.8m	Model: MSW-A1840H12TR Frequency: $40\pm 1.0\text{KHz}$ Dimension : 18*12mm Measure distance: 30cm-1.8m
		
Model: MSW-A2540H12TR Frequency: $40.0\pm 1.0\text{KHz}$ Dimension: 25*12mm Measure distance: 30cm-5m	Model: MSW-P10300H08TR Frequency: $300.0\pm 15.0\text{KHz}$ Dimension : 10*8mm Measure distance: 0.1-0.3m	Model: MSW-A10400H10TR Frequency: $400.0\pm 16.0\text{KHz}$ Dimension : 10*10mm Measure distance: 50-300mm

		
Model: MSW-A12200H19TR--W Frequency: 200.0±8.0KHz Dimension : 12*19mm Measure distance: 0.1-1m	Model: MSW-A18200H10TR Frequency: 200.0±8.0KHz Dimension : 18*10mm Measure distance: 0.1-2m	Model: MSW-P20165H16TR--W Frequency: 165±5KHz Dimension : 20*16mm Measure distance: 0.1-2.5m
		
Model: MSW-A211MH11TR Frequency: 1MHZ Dimension: 21*11mm	Model: MSW-P25125H25TR--W Frequency: 125.0±5.0KHz Dimension: 25*25mm Measure distance: 0.2- 4m	Model: MSW-A27175H13TR--W Frequency: 175.0±5.0KHz Dimension: 27*13mm Measure distance: 0.1~2m



Model: MSW-A36100H17TR--W

Frequency: 100.0±8.0KHz

Dimension : 36*17mm

Measure distance: 0.2~4m

		
Model: MS-T/R14404L Frequency: 40KHz±1.5KHz Function:Transmitter/Receive Ringin(ms) : ≤1.2	Model: MS-TR16405L Frequency: 40KHz±1.5KHz Function:Transmitter/Receive Ringin(ms): ≤1.2	Model: MS-T/R16406L Frequency: 40KHz±1.5KHz Function:Transmitter/Receive Ringin(ms):≤1.2


Model: MS-T/R16401L Frequency: 40KHz±1.5KHz FunctionTransmitter/Receive Ringin(ms):≤1.2



MANORSHI ELECTRONICS CO.,LTD.

Tel:86-519-89185720

Mobile/Whatsapp:8615961152360

Skype:chun-ping2010

Wechat:15961152360

QQ:909649222

Website:www.buzzer-supplier.com

Email:sale@manorshi.com
